

## Carbon Tetrachloride at Lockwood

This page was updated on October 31, 2003

| Summary Statistics |                   |               |               |               |
|--------------------|-------------------|---------------|---------------|---------------|
| Month              | Number of Samples | Minimum (ppb) | Maximum (ppb) | Average (ppb) |
| November-01        | 2                 | 0.09          | 0.10          | 0.09          |
| December-01        | 4                 | 0.08          | 0.09          | 0.09          |
| January-02         | 5                 | 0.08          | 0.14          | 0.10          |
| February-02        | 4                 | 0.07          | 0.09          | 0.08          |
| March-02           | 5                 | 0.07          | 0.10          | 0.08          |
| April-02           | 5                 | 0.08          | 0.10          | 0.09          |
| May-02             | 5                 | 0.10          | 0.12          | 0.11          |
| June-02            | 4                 | 0.07          | 0.11          | 0.10          |
| July-02            | 6                 | 0.08          | 0.09          | 0.09          |
| August-02          | 4                 | 0.09          | 0.09          | 0.09          |
| September-02       | 4                 | 0.08          | 0.10          | 0.09          |
| October-02         | 5                 | 0.09          | 0.10          | 0.09          |
| November-02        | 5                 | 0.08          | 0.09          | 0.08          |
| December-02        | 5                 | 0.08          | 0.11          | 0.09          |
| January-03         | 5                 | 0.09          | 0.11          | 0.10          |
| February-03        | 5                 | 0.08          | 0.10          | 0.09          |
| March-03           | 5                 | 0.08          | 0.10          | 0.09          |
| April-03           | 5                 | 0.09          | 0.11          | 0.10          |
| SUMMARY            | Total             | Minimum       | Maximum       | Average       |
|                    | 83                | 0.07          | 0.14          | 0.09          |

\* The lowest concentration that can be measured (LOD) is 0.02 parts per billion (ppb). Values below the LOD are set to 0.5 \* LOD.